

**IN THE CLAIMS:**

1. (Cancelled).

2. (Currently Amended) A mail piece tracking system including:

A. one or more servers that perform the operations of:

i. acquiring information from one or more mail piece sources, postal services or delivery companies, and from said information creating ~~a digital shadow~~ linked information for each mail piece containing at least one of: information about the mail piece, delivery status information, address and delivery particulars, a digital copy of the mail piece, a summary of the mail piece, and an excerpt from the mail piece;

~~ii. delivery status information and associating said linked~~ linking the mail piece delivery status information with respective user identifiers, thereby informing the user of an incoming mail piece providing the user with the capability to track and trace mail pieces sent to or from one or more addresses;

~~ii.iii~~ receiving one or more messages from the senders of the respective mail pieces and linking to ~~the delivery status information an attachment consisting of the one or more messages from the senders of the mail pieces; and~~

~~iii. iv. producing on a user's personal web page providing said linked information listings of the delivery status information for the mail pieces directed to or sent from~~ respective users that are associated with the user identifiers; and

~~iv.- including links to the respective messages in the listings of the delivery status information allowing the user to perform at least one of: sending or receiving a message, receiving or paying a bill, and verifying information based upon a digital signature; and~~

B. one or more browsers or client executables through which the respective users associated with the user identifiers access ~~the delivery status linked~~ information, and the links to the respective messages.

3. (Withdrawn) A mail piece tracking system including:

A. one or more servers for linking mail piece delivery status information with user identifiers, associating with the delivery status information for a given mail piece related transaction information, producing listings of the delivery status information for mail pieces directed to the respective users, and including a link to the transaction information in the listing of the delivery status information;

B. one or more browsers or client executables through which the respective users associated with the user identifiers access the delivery status information.

4. (Currently Amended) A mail piece tracking system including:

A. one or more servers that perform the operations of:

- i. acquiring information from one or more mail piece sources, postal services and delivery companies and creating ~~a digital shadow~~ linked information for each mail piece containing delivery status information and linking the mail piece delivery status information with respective user identifiers, thereby informing the user of an incoming package;
- ii. generating a personal web page for a user providing receiving said linked information relating to the contents of the respective mail pieces from the senders of the mail pieces and displaying said information on asaid user's personal web page and linking to the delivery status information an attachment consisting of the information relating to the contents of the respective mail pieces;
- iii. producing on said user's personal web page respective listings of the delivery status information for mail pieces directed to or from respective users that are associated with the user identifiers; and
- iv. associating the information relating to the contents of the respective mail pieces with the mail piece delivery status information in the listings; and

B. one or more browsers or client executables running on a user's personal computer or at another workstation at which the user may log in, and through which the respective users associated with the user identifiers access the delivery status information and the linked information relating to the contents of the respective mail pieces.

5. – 6. (Cancelled).

- 1 7. (Withdrawn) A mail piece tracking system including:  
2 A. one or more servers for linking mail piece delivery status information with user  
3 identifiers producing listings of the delivery status information for mail pieces directed to the  
4 respective users, and including in the mail piece delivery status information:  
5 i. a sender identifier,  
6 ii. a mail type identifier,  
7 iii. a delivery service identifier, and  
8 iv. links to on-line information provided by or associated with the sender.
- 1 8. (Cancelled)
- 1 9. (Withdrawn) The method of tracking and tracing mail pieces of claim 10 wherein  
2 A. the step of linking mail piece delivery status information to the user identifiers  
3 includes updating the information, and  
4 B. the step of providing a listing of mail piece delivery status information includes  
5 providing in the list the updated information.
- 1 10. (Withdrawn) A method for tracking and tracing mail pieces including the steps of:  
2 A. associating respective users with user identifiers;  
3 B. associating with the identified users mail pieces directed to or sent by the respective  
4 users;  
5 C. linking mail piece delivery status information relating to the respective mail pieces to  
6 the respective user identifiers, the delivery status information including information that  
7 identifies the senders of the respective mail pieces that are directed to the identified users;  
8 and  
9 D. providing to a given user a listing of the respective mail pieces and the mail piece  
10 delivery status information that is linked to the user identifier that corresponds to the given  
11 user.

1 11. (Withdrawn) The method of tracking and tracing mail pieces of claim 10 wherein the  
2 step of linking mail piece delivery status information with the user identifiers includes  
3 associating therewith messages from the respective senders.

1 12. (Cancelled).

1 13. (Withdrawn) The method of tracking and tracing mail pieces of claim 11 wherein the  
2 step of linking mail piece delivery status information to the user identifiers includes  
3 associating therewith messages from the respective delivery services.

1 14.-19. (Cancelled).

1 20. (Withdrawn) A method for tracking and tracing mail pieces including the steps of:

2 A. associating respective users with user identifiers;

3 B. associating with the identified users respective mail pieces directed to or sent by the  
4 respective users;

5 C. linking mail piece delivery status information relating to the respective mail pieces to  
6 the respective user identifiers, the mail piece delivery status information including the source  
7 of a given mail piece; and

8 D. providing to a given user a listing of the respective mail pieces associated with the  
9 given user and the mail piece delivery status information that is linked to the user identifier  
10 that is associated with the given user and further providing a graphical interface connected to  
11 notify the given user of the delivery status of the respective mail pieces, the interface being  
12 configured to display information concerning the source of a given mail piece.

1 21. (Currently Amended) Computer executable instructions embodied in a computer  
2 readable medium, ~~the comprising instructions causing the computer to perform; the steps of:~~

3 A. associating respective users with user identifiers;

4 B. acquiring information from one or more mail piece sources, postal service and  
5 delivery companies, about a mail piece and associating that mail piece with a user identifier;

6 C. ~~and creating a digital shadow-linked information~~ for each mail piece containing mail  
7 piece ~~delivery status~~ information providing the user with the capability to track and trace  
8 mail pieces sent to or from one or more addresses;

9 C. ~~associating with the respective users mail pieces directed to or sent by the respective~~  
10 ~~users and informing the user of an incoming mail piece;~~

11 D. receiving ~~mail piece delivery status-linked~~ information from one or more mail piece  
12 delivery companies and ~~linking-associating the mail piece delivery status-linked~~ information  
13 relating to ~~the those~~ respective mail pieces that are assigned to the respective user identifiers  
14 that are associated with the users to which the ~~mail pieces~~ user identifiers are associated;

15 E. receiving information concerning the contents of the respective mail pieces from the  
16 senders of the respective mail pieces;

17 F. ~~and displaying said linked information an on a user's personal web page and linking~~  
18 ~~to the delivery status information an attachment~~ consisting of the information concerning the  
19 contents of the respective mail pieces; and

20 FG. providing on said user's personal web page a graphical user interface adapted to  
21 notify the respective users of the delivery status of the respective mail pieces, the interface  
22 being configured to:

- 23 i. provide the mail piece delivery status information that is linked to the user identifiers  
24 that are associated with the respective users, and  
25 ii. provide to the respective users the information concerning the contents of the  
26 respective mail pieces.

1 22. (Currently Amended) Computer executable instructions, embodied in a computer  
2 readable medium, ~~the comprising~~ instructions causing the computer to perform; ~~the steps of:~~

3 A. associating respective users with respective user identifiers;

4 B. acquiring information from one or more mail piece sources, postal services and  
5 delivery companies, and creating ~~a digital shadow-linked information~~ for each mail piece  
6 containing mail piece delivery status information and associating the linked information with  
7 said user identifiers;

- 8 C. associating with the respective users identifiers respective mail pieces directed to or  
9 sent by the respective users and informing the user of an incoming mail piece;
- 10 D. receiving mail piece delivery status information from one or more mail piece delivery  
11 companies and displaying said information on a user's personal web site and linking the  
12 mail piece delivery status information relating to the respective mail pieces to the respective  
13 user identifiers that are associated with the users to which the mail pieces are associated;
- 14 E. receiving images of at least a portion of the contents of the respective mail pieces  
15 from the respective senders and displaying said images on said user's personal web page and  
16 linking to the delivery status information an attachment consisting of the images of at least a  
17 portion of the contents of the respective mail pieces; and
- 18 F. providing to respective users listings of the respective mail pieces and the mail piece  
19 delivery status information that are linked to the user identifiers that correspond to the  
20 respective users; and
- 21 G. providing on said personal web page a graphical interface connected to:
- 22 i. notify the respective users of the delivery status of the associated  
23 respective mail pieces; and
- 24 ii. provide to the users the images of at least a portion of the contents of the respective  
25 mail pieces.

- 1 23. (Currently Amended) The computer executable instructions as defined in Claim 22  
2 further comprising: Computer executable instructions embodied in a computer readable  
3 medium, the instructions causing the computer to perform the steps of:
- 4 ~~A. associating respective users with respective user identifiers;~~
- 5 ~~B. acquiring information from one or more mail piece sources, postal services and~~  
6 ~~delivery companies, and creating a digital shadow for each mail piece containing mail piece~~  
7 ~~delivery status information;~~
- 8 ~~C. associating with the users respective mail pieces directed to or sent by the respective~~  
9 ~~users and informing the user of an incoming mail piece;~~

D. —receiving mail piece delivery status information from respective mail piece delivery companies and linking the mail piece delivery status information relating to the respective mail pieces to the respective user identifiers;

E. —receiving images of information associated with respective mail pieces from respective senders and linking to the delivery status information an attachment consisting of the images of information associated with respective mail pieces;

F. —providing to respective users listings of the respective mail pieces and the mail piece delivery status information that are linked to the user identifiers that correspond to the respective users; and

G. — providing a graphical interface connected to:

i. —notify the respective users of the delivery status of the associated respective mail pieces;

ii. —provide to the users the images of information associated with the respective mail pieces; and

iii. — provide links for the user to ~~senders~~ respective mail piece delivery companies and respective sellers of said mail pieces allowing the user to perform at least one of: sending or receiving a message, receiving or paying a bill, and verifying information based upon a digital signature.

24. (Currently Amended) The computer executable instructions of claim ~~23~~ 22 in which one or more messages from the senders or the mail delivery companies are received and the interface is further configured to provide the one or more messages associated with the respective mail pieces.

25. (Withdrawn) A method for tracking and tracing mail pieces including the steps of:

A. associating respective users with respective user identifiers;

B. associating with the identified users respective mail pieces directed to or sent by the respective users;

C. linking mail piece delivery status information relating to the associated respective mail pieces to the respective user identifiers, the mail piece delivery status information including one or more links to information provided by senders of the respective mail pieces; and

D. providing to a given user a listing of the associated respective mail pieces and the mail piece delivery status information that is linked to the user identifier that corresponds to the given user and providing a graphical interface connected to notify the given user of the delivery status of the associated respective mail pieces, the interface being configured to provide one or more links to the information provided by a sender of a given mail piece.

26. (Withdrawn) The method of tracking and tracing mail pieces of claim 25 wherein the information provided by the sender includes one or more of transaction history, account balance, and payment option information.

27. (Cancelled).

28. (Currently Amended) Computer-readable memory comprising computer program instructions for use in providing mail piece tracking and tracing, the instructions when executed causing:

A. one or more servers to:

i. acquire information from one or more mail piece sources, postal services and delivery companies, and creating ~~a digital shadow~~ linked information for each mail piece containing mail piece delivery status information and associating said link-linked information about the mail piece delivery status information with respective user identifiers to thereby inform the user of an incoming mail piece, providing the user with the capability to track and trace mail pieces sent to or from one or more addresses;

ii. receive messages from the senders of the respective mail pieces and adding to said linked information link to the delivery status information and an attachment consisting of the messages from the senders of the respective mail pieces,



14     iii.     produce for a user, a personal web page including listings of the delivery status-linked  
15     information for mail pieces directed to the respective users that correspond to the user  
16     identifiers; and

17     iv.     provide in said user's personal web page links access to the messages in the listings  
18     of the delivery status information; and

19     B.     one or more browsers to provide to the respective users associated with the user  
20     identifiers access to the listings of the delivery status-linked information and the linked  
21     messages.

1     29.     (Currently Amended) The cComputer-readable memory as defined in Claim 28  
2     further comprising; computer program instructions for use in providing mail piece tracking  
3     and tracing, the instructions when executed causing;

4     A.     said one or more servers being configured to:

5     i.     ~~acquire information from one or more mail piece sources, postal services and~~  
6     ~~delivery companies and creating a digital shadow for each mail piece containing mail piece~~  
7     ~~delivery status information and link the mail piece delivery status information with~~  
8     ~~respective user identifiers to thereby inform the user of an incoming mail piece;~~

9     ii.    ~~receive sender transaction information from respective senders of the mail pieces and~~  
10    ~~link the sender transaction information to the delivery status information;~~

11    iii.   ~~produce on a user's personal web page listings of the delivery status information for~~  
12    ~~mail pieces directed to the respective users that correspond to the user identifiers; and~~

13    iv.    ~~associate the links to the with the linked information,~~ transaction information with the  
14    listings of the delivery status information on said user's personal web page allowing the user  
15    to perform at least one of: sending or receiving a message, receiving or paying a bill, and  
16    verifying information based upon a digital signature; ~~and~~

17    B.    ~~one or more browsers to provide access to the delivery status information linked to a~~  
18    ~~given user identifier and also to links to the transaction information that associated with the~~  
19    ~~delivery status information.~~

30. (Currently Amended) The eComputer-readable memory as defined in Claim 28  
further comprising: computer program instructions for use in providing mail piece tracking  
and tracing, the instructions when executed causing:

A. said one or more servers being configured to:

i. ~~acquire information from one or more mail piece sources and delivery companies and~~  
~~create a digital shadow for each mail piece containing mail piece delivery status information~~  
~~from respective mail delivery companies and link mail piece delivery status information with~~  
~~respective user identifiers to thereby inform the user of an incoming mail piece;~~

ii. ~~receive information relating to the contents of the respective mail pieces from the~~  
~~respective senders and link to the delivery status information an attachment consisting of the~~  
~~information relating to the contents of the respective mail pieces;~~

iii. ~~produce listings of the mail piece delivery status information for mail pieces directed~~  
~~to the respective users that correspond to the user identifiers; and~~

iv. ~~include in the listings the information relating to the contents of the respective mail~~  
~~pieces; and~~

B. ~~one or more browsers to provide access to the delivery status information linked to a~~  
~~given user identifier and further to provide access to the associated information relating to the~~  
~~contents of the mail pieces.~~

31. (Cancelled).

32. (Withdrawn) Computer-readable memory comprising computer program instructions  
for use in providing mail piece tracking and tracing, the instructions when executed causing:

A. one or more servers to

link mail piece delivery status information with user identifiers, the delivery status  
information for a given mail piece including

i. a sender identifier,

ii. a mail type identifier,

iii. a delivery service identifier, and

iv. related messages from the sender and the delivery service, and

- v. produce listings of the delivery status information for mail pieces directed to the respective users that correspond to the user identifiers; and
- B. one or more browsers to provide access to the delivery status information linked to a given user identifier

33. (Cancelled).

34. (Withdrawn) A method of operating a computer system, the method including the steps of:

- A. associating a given user session with a user identifier;
- B. retaining messages relating to the status of the session at a server and including in each message a message sequence number and an attribute that is associated with the user identifier; and
- C. using the messages to continue the session from a point at which the session last communicated with the server, in response to the user identifier being presented at a node that communicates with the server.

35. (Withdrawn) The method of claim 34 further including a step of maintaining an index of the messages, the index being sorted by the attribute that is associated with the user identifier.

36. (Withdrawn) The method of claim 35 further including:

- A. a step of communicating through the session and providing information relating to a mailing label;
- B. in the step of retaining messages retaining messages that include the information relating to the mailing label;
- C. in the step of continuing the session presenting the retained information relating to the mailing label; and
- D. a step of ending the session by printing the mailing label in accordance with the retained information.

1 37. (Withdrawn) The method of claim 36 further including:  
2 A. in the step of communicating through the session providing information  
3 relating to postage for a mail piece;  
4 B. in the step of retaining messages retaining messages that include the information  
5 relating to the postage;  
6 C. in the step of continuing the session presenting the retained information relating to  
7 the postage; and  
8 D. in the step of ending the session printing the postage in accordance with the  
9 retained information.

1 38. (Withdrawn) The method of claim 35 further including:  
2 A. a step of communicating through the session and providing information  
3 relating to postage for a mail piece;  
4 B. in the step of retaining messages retaining messages that include the information  
5 relating to the postage;  
6 C. in the step of continuing the session presenting the retained information relating to the  
7 postage; and  
8 D. a step of ending the session by printing the postage in accordance with the  
9 retained information.

1 39. (Withdrawn) A method of operating a computer network including the steps of:  
2 A. associating a user session with a user identifier that is presented to gain  
3 access to information maintained by the network from a first node that communicates with  
4 the network;  
5 B. retaining a queue of messages relating to the user session and associating the  
6 queue with the user identifier; and  
7 C. in response to the user identifier being later presented at the first node or a  
8 second node that communicates over the network, continuing the user session at the first or

9 second node by using the messages to present the session at the point at which the session  
10 last communicated with the server.

1 40. (Withdrawn) The method of claim 36 wherein the step of retaining a queue of  
2 messages includes indexing the messages by the user identifier.

1 41. (Withdrawn) The method of claim 37 wherein the step of retaining a queue of  
2 messages further includes maintaining the queue at each of a plurality of interconnected  
3 nodes, a given one of the interconnected nodes at which the user identifier is provided  
4 presenting the user session at the point at which the session last communicated with the  
5 server.

1 42. (Withdrawn) The method of claim 38 further including conducting the user session  
2 by communicating over the network using a browser or a client executable.

1 43. (Withdrawn) The method of claim 37 wherein the step of presenting the user  
2 identifier includes providing a machine-readable code to a scanner that communicates with  
3 the node.

1 44. (Withdrawn) A method of operating a postal service computer system, the method  
2 including the steps of:

3 A. associating a given user postal mailing label session with a user identifier;

4 B. retaining messages relating to the status of the session at a server and

5 including in each message a message sequence number and an attribute that is associated  
6 with the user identifier, the messages further including mailing label information provided  
7 through the session; and

8 C. using the messages to continue the session from a point at which the session  
9 last communicated with the server by presenting the mailing label information provided

through the session, in response to the user identifier being presented at a node that communicates with the server.

45. (Withdrawn) The method of claim 44 further including a step of maintaining an index of the messages, the index being sorted by the attribute that is associated with the user identifier.

46. (Withdrawn) The method of claim 45 further including the step of ending the continued session by printing the mailing label in accordance with the retained information.

47. (Withdrawn) The method of claim 46 further including

A. in the step of retaining messages retaining messages that include the information relating to postage;

B. in the step of continuing the session presenting the retained information relating to the postage; and

C. in the step of ending the session printing the postage in accordance with the retained information.

48. (New) A mail piece tracing and tracking system comprising:

one or more servers associated with multiple package delivery systems coupled to a network, said one or more servers interfacing with a database storing user identifiers, and said one or more servers associating a user identifier with linked information about packages that are being sent to or from a user of the system using said package delivery systems, said linked information being associated with one or more user identifiers; and a plurality of nodes connected by said network to one or more of said servers, said nodes running software executables that communicate directly with the server, said nodes also having access to web browsers allowing the user to login in and inspect linked

10 information about each package that has been assigned to its user identifier providing the  
11 user with the capability to track and trace mail pieces sent to or from one or more  
12 addresses.